

Suite 450, 1414 – 8 St. S.W. Calgary, Alberta, T2R 1J6 Canada P: (403) 269-9424 F: (403) 263-6357 www.foodcheksystems.com



Lot Number MD2056A001

## Certificate of Analysis

Product name:

Actero™ Multiplex (ESS) Enrichment Media

(T72 Multi-pathogen Broth)

Product number:

FCM-274

Lot number:

MD2056A001

Expiry date:

2021/10/15

Storage conditions:

12° - 25 °C (53° - 77°F)

## **Physical Characteristics**

Specification

**Expected results** 

Results

Dehydrated:

Appearance Free-flowing powder

Free-flowing powder

Color

Beige

Beige

Prepared: Appearance

Clear

Clear

Color

Light to medium amber

Medium amber

pH:

 $7.1 \pm 0.2$ 

7.12

## Microbiological performance

Productivity and selectivity test in accordance with the current version of ISO 11133:2014 Mixed inoculum of the target strains with *E. faecalis*. Incubation 18-24h at 37°C.

Microorganisms	Approx. Inoculum (CFU)	Expected Results	<u>Results</u>
S. Typhimurium ATCC™ 14028			
(WDCM 00031)	< 100	> 100 CFU	> 100 CFU
S. aureus ATCC™ 25923 (WDCM 0003	4) < 100	> 100 CFU	> 100 CFU
E. coli ATCC™ 25922 (WDCM 00013)	< 100	> 100 CFU	> 100 CFU
E. faecalis ATCC™ 19433 (WDCM 000	09) < 10 <sup>4</sup>	< 100	< 100

Laboratory Results: Satisfactory

Quality Assurance/Quality Control

Released Date

